EASTERN TREADS®

TREADING NEW PATHS



I N D E X

About Eastern Treads Limited 04

Reteading is Regenerating 05

About Retreading 06

Our Factory 07

Certifications 08

Product Range 09

Product Catalogue 11

Market Presence 38

Testimonials 41

Message from the Chairman 42

Branch Locations 43

Towards New Horizons

Eastern Treads Limited

Eastern Treads was established in 1993, and was issued for public in 1995. The equity shares of the company are listed in the Bombay Stock Exchange. Eastern Treads was awarded the prestigious Fact MKK Nair Memorial Award on several occasions for unmatched performance and commendable productivity. The step that the company has taken to assure the quality is recognized with many prestigious certifications.

Eastern Treads has a glorious past in the manufacturing and marketing of tread rubber for the tyre retreading industry. With a production capacity of 1000 tons per month, the company is making big leaps in the Indian market and abroad.

Eastern Treads is prominently placed in this ever expanding field with its enormous capacity for mass production and extensive marketing with practical visions and unfailing strategies.

The versatile R & D department and advanced technical service team works in tune with the changes and aspirations of the outer world related to the industry. So it is needless to say the products are hailed for its quality and well assessed for productivity.

EASTERN® TREADS



Retreading is Regenerating

Recycling is a habit the world desperately needs to adopt. The uncontrolled discarding of old used tyres does more harm than good. Retreading is an ingenious solution that can tackle this problem head on. It is environmentally friendly as well as pocket friendly.



Retreading is
Money saving

Retreading is an economical alternative to buying brand new tyres due to the reduced use of raw materials required for manufacturing. It is an effective and efficient way for those looking to change their tyres on a budget.

Retreading is
Revitalizing

Retreading minimizes the environmental impact and saves fuel loss. It is a process that consumes less energy compared to the production of a new tyre as 70% less oil is used when compared to creating a new one. Retreading makes a significant contribution towards reducing the carbon foot print and improves the well-being of the environment.

Retreaded tyres not only offer considerable environmental & economic benefits, but also provide quality, comfort, safety, reliability & fuel efficiency comparable to that of brand new tyres.

Our Factory



Oonnukal , Kerala.

ISO

9001:2015



EASTERN TREADS LIMITED

EASTERN TREADS

HO: 3A, 3RD FLOOR, EASTERN CORPORATE OFFICE, NH BY PASS, EDAPPALLY P.O., KOCHI – 682 024, KERALA, INDIA.

This is a multi-site certificate, additional site(s) are listed on the next page(s)

Bureau Veritas Certification Holding SAS – UK Branch certifies that the Management System of the above organization has been audited and found to be in accordance with the requirements of the Management System Standard detailed below.

Standard

ISO 9001:2015

Scope of certification

DESIGN, DEVELOPMENT, MANUFACTURING, DISPATCH AND MARKETING OF PRE CURED & CONVENTIONAL TREAD RUBBER, BONDING GUM AND BLACK VULCANISING CEMENT.

Original cycle start date: **21 November 2013**

Recertification cycle start date: **20 November 2022**

Subject to the continued satisfactory operation of the organization's Management System, this certificate expires on: **20 November 2025**

Certificate No. **IND.22.9895/QM/U** Version: **1** Issue date: **20 November 2022**

Signed on behalf of BVCH SAS UK Branch
Jagdheesh N. MANIAN
Director – CERTIFICATION, South Asia
Commodities, Industry & Facilities Division

Certification body address: *5th Floor, 66 Prescot Street, London, E1 8HG, United Kingdom*

Local office: *Bureau Veritas (India) Private Limited (Certification Business), 72 Business Park, Mirad Industrial Area, MIDC Cross Road "C", Andheri (East), Mumbai – 400 093, India*

Further clarifications regarding the scope of this certificate and the applicability of the management system requirements may be obtained by consulting the organization. To check this certificate validity please call: + 91 22 6274 2000.

Page 1 of 2


Bureau Veritas Certification

Our Product Range



Precured Tread Rubber


- Guaranteed high mileage performance.
- Uniform tread wear providing good directional stability.
- Superior mileage that reduces operating cost.
- Consistency in quality & supply.
- Product range from Auto rickshaw to JCB.
- Excellent grip for safety.
- Different grades available like Infinity, Diamond, Platinum, Gold etc.
- Terrain specific compounds like Mines Special.



Bonding Gum

- Made from 100% natural rubber.
- Soft & superior track with high bonding strength.
- Compatible for 99°C, 125°C & 150°C curing operations.
- Sufficient shelf life.
- Can be used for splicing & nail hole / injury repair
- The grades available are Soft & Regular.

Our Product Range







Hot Rubber Slab & Camel Back Treads

- Both slab & camel back treads are available.
- Good shelf life.
- Available in customized sizes.
- Available in different grades according to the application.
- The grades available for trucks & LCV sizes are Milerplus & Miler.
- The grades available for OTR are Rider, Winner & Saver.

Black Vulcanising Cement

- Ready to use solution.
- Fast drying and excellent tack.
- Specially formulated for both precured and conventional process.
- Sufficient shelf life.
- Grades available are Blue & Yellow.


Repair Patches

- Made from nylon fabric.
- Patches are available for Bias & Radial tyres.
- Wide range of patches for minor to major tyre injury repair.
- Economic measure with safety.

PRODUCT CATALOGUE


Bias

Cross Bar




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 372	127	215	13.0	3.0	10.800	3.3
10.00 X 20	ETL 372 A	125	215	13.0	3.0	10.700	3.3
10.00 X 20	ETR 371	127	210	13.5	3.0	10.800	3.3
10.00 X 20	ETR 371 A	125	210	13.5	3.0	10.700	3.3
10.00 X 20	ETL 191	128	205	13.0	3.5	10.700	3.3
7.50 X 16	ELL 142	99	160	9.5	3.0	5.100	2.0

Eastern Lug




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
9.00 X 20	EL 195	124	195	16.0	4.0	11.900	3.8
9.00 X 20	ETL 85	124	188	13.0	4.5	9.500	3.0
9.00 X 16	ETL 85 A	112	188	13.0	4.5	8.600	3.0

Eastern Port King




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 x 20	PK 240	133	240	15.0	3.6	15.200	4.5
11.00 X 20	ETR 356	132	225	16.0	3.5	14.600	4.4




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETR 251	132	215	16.0	4.0	14.500	4.3
10.00 X 20	ETR 251A	129	215	16.0	4.0	14.200	4.3
10.00 X 20	ETR 391	128	210	15.9	4.0	13.400	4.1
10.00 X 20	ETR 195 LW	130	205	14.0	3.7	12.400	3.8
10.00 X 20	ETR 195 LW A	126	205	14.0	3.7	12.100	3.8
10.00 X 20	PK 205	130	205	17.0	4.0	14.100	4.3
8.25 X 16	PK 178	106	178	13.5	3.5	8.000	3.0
8.25 X 20	PK 178A	120	178	13.5	3.5	9.000	3.0
8.25 X 16	PK 168	105	168	13.0	3.5	7.400	2.8
7.50 X 16	PK 168A	99	168	13.0	3.5	7.000	2.8
6.00 X 16	PK 158	99	158	13.0	3.0	6.600	2.6

Eastern Sober




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETR 186	127	205	10.5	3.5	9.200	2.9

Eastern Z Lug




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 X 20	ZL 215	129	215	15.0	3.5	12.900	3.9
10.00 X 20	ETL 168	129	210	13.5	4.5	11.700	3.6
10.00 X 20	ETL 168 A	131	210	13.5	4.5	11.900	3.6
10.00 X 20	ETL 173	127	205	13.5	3.0	10.500	3.3
10.00 X 20	ETL 173 A	131	205	13.5	3.0	10.900	3.3
10.00 X 20	ETL 213	127	205	13.0	3.0	10.200	3.2

Highway Rib




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETR 178	127	205	13.5	3.5	11.700	3.6

Jet Track



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 376	127	215	14.0	3.5	11.700	3.6
10.00 X 20	ETL 376 A	125	215	14.0	3.5	11.500	3.6
10.00 X 20	ETL 210	127	210	14.0	3.5	11.700	3.6
10.00 X 20	ETL 153	127	205	12.5	3.5	10.300	3.2
10.00 X 20	ETL 153 LW	127	205	12.5	3.0	9.900	3.1
10.00 X 20	ETL 203	127	205	14.0	3.5	11.000	3.4
10.00 X 20	ETL 203 A	125	205	14.0	3.5	10.800	3.4
10.00 X 20	ETL 419	125	205	12.0	3.2	9.200	2.9
10.00 X 20	ETL 419 A	127	205	12.0	3.2	9.300	2.9
10.00 X 20	ETR 364	127	205	13.0	3.5	10.500	3.3
10.00 X 20	ETR 364 A	125	205	13.0	3.5	10.400	3.3
9.00 X 20	ETL 27	124	195	14.0	4.0	10.300	3.3
9.00 X 20	ETL 32	124	187	14.0	4.0	9.500	3.0
8.25 X 20	ETL 418	116	180	11.5	3.0	7.300	2.5
8.25 X 20	ETL 418 A	112	180	11.5	3.0	7.000	2.5
8.25 X 20	ELL 417	116	170	11.5	3.0	6.800	2.3
8.25 X 16	ELL 417 A	102	170	11.5	3.0	5.900	2.3
8.25 X 20	ELL 190	118	168	12.5	3.5	8.100	2.7
8.25 X 16	ELL 190 A	104	168	12.5	3.5	7.100	2.7
8.25 X 16	ELL 190 B	101	168	12.5	3.5	6.900	2.7




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
8.25 X 16	ELL 190 C	116	168	12.5	3.5	7.900	2.7
7.50 X 16	ELL 416	98	160	11.5	3.0	5.400	2.2
7.50 X 16	JT 160	99	160	16.0	3.2	7.700	3.1
7.50 X 16	ELL 188	99	158	11.5	3.3	5.800	2.3
7.50 X 16	ELL 188 A	98	158	11.5	3.3	5.800	2.3
7.50 X 16	ELL 114	99	150	12.0	3.0	5.200	2.1
7.50 X 16	ELL 114 A	98	150	12.0	3.0	5.100	2.1

Lug Master



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 380	128	210	12.0	3.5	10.700	3.3
10.00 X 20	ETL 71	128	210	17.0	4.0	14.000	4.3
10.00 X 20	ETL 238	128	208	13.0	3.5	11.100	3.4
10.00 X 20	ETL 374	129	205	16.0	4.0	13.500	4.1

Miler Grip




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	MG 210	129	210	13.5	3.2	11.400	3.5
10.00 X 20	ETL 236	127	205	13.5	3.5	10.800	3.3
155 D 12	ETL 250	66	120	10.5	2.0	2.500	1.5

Miler Rib




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	MR 205	128	205	14.5	3.5	11.500	3.5

Semi Lug



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 98	127	205	13.5	3.5	11.000	3.4
8.25 X 20	ELL 123	118	175	11.5	4.0	8.300	2.8
8.25 X 16	ELL 123 A	104	175	11.5	4.0	7.300	2.8
8.25 X 20	ETL 67	118	168	13.5	3.5	8.400	2.8
8.25 X 16	ETL 67 A	104	168	13.5	3.5	7.500	2.8
7.50 X 16	ELL 39	99	160	13.0	3.0	6.000	2.4
7.50 X 16	ETL 156	99	160	14.0	4.0	6.800	2.7

Super Miler




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	SM 215 LW	127	215	13.0	3.5	11.300	3.5
10.00 X 20	ETR 341	129	210	12.2	3.5	10.600	3.2
10.00 X 20	SM 210 LW	127	210	13.0	3.5	10.900	3.4
10.00 X 20	ETR 134	127	205	12.5	3.5	10.300	3.2
10.00 X 20	ETR 346	127	205	12.5	3.5	9.700	3.0
10.00 X 20	SM 205 LW	127	205	13.0	3.5	10.600	3.3
9.00 X 20	SM 190	124	190	13.5	3.2	9.600	3.0
9.00 X 20	SM 180	124	180	13.5	3.2	9.000	2.9
9.00 X 20	SM 180 A	118	180	13.5	3.2	8.600	2.9
9.00 X 20	SM 180 B	104	180	13.5	3.2	7.500	2.8
9.00 X 20	SM 180 SL	116	180	13.5	3.2	8.400	2.9
8.25 X 20	ETR 118	118	168	13.0	3.5	8.000	2.7
8.25 X 16	ETR 118 A	103.5	168	13.0	3.5	7.000	2.7
8.25 X 16	ETR 118 SL	106	168	13.0	3.5	7.200	2.7
8.25 X 16	ELR 133	104	160	12.0	3.0	6.100	2.3
7.50 X 16	ELR 133 A	99	160	12.0	3.0	5.800	2.3
7.00 X 15	SM 150	92	150	11.0	3.0	4.700	2.0
155 D 12	EAR 194	66	120	10.0	2.5	2.500	1.5

Super Miler Plus




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 x 20	SMP 210	127	210	13.0	3.5	11.300	3.5
10.00 x 20	SMP 210 LW	127	210	12.0	3.5	10.600	3.3
10.00 X 20	ETR 183	130	205	13.0	3.3	11.400	3.5
10.00 X 20	ETR 436	127	205	12.0	3.0	9.900	3.1
10.00 X 20	ETR 437	127	205	13.0	3.2	10.800	3.3
8.25 x 16	SMP 175	103	175	12.5	3.0	7.000	2.7
8.25 x 20	SMP 175 A	119	175	12.5	3.0	8.100	2.7

Track Master




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETR 373	129	210	13.5	3.5	10.600	3.2

Transport




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	TR 215	131	215	8.7	3.5	9.500	2.9
10.00 X 20	ETR 229	129	210	13.5	3.5	12.000	3.7
10.00 X 20	ETR 229 A	127	210	13.5	3.5	11.800	3.7
10.00 X 20	ETR 205	128	205	13.5	3.0	11.400	3.5
9.00 X 20	TR 195	131	195	8.7	3.5	8.700	2.6
9.00 X 20	ETR 385	124	185	13.5	3.5	9.800	3.2
9.00 X 20	ETR 197	123	180	13.5	3.0	9.300	3.0
8.25 X 20	TR 180	131	180	8.7	3.5	7.900	2.4

Transport




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.50 X 16	ELR 414 A	117	175	14.3	3.5	9.300	3.1
7.50 X 16	ELR 414	103.5	175	14.3	3.5	8.200	3.1
8.25 X 16	ELR 337 D	98	170	13.5	3.5	7.300	2.9
8.25 X 16	ELR 337 C	116	170	13.5	3.5	8.600	2.9
8.25 X 16	ELR 337 A	104	170	13.5	3.5	7.700	2.9
8.25 X 20	ELR 337	118	170	13.5	3.5	8.700	2.9
8.25 X 16	ELR 337 B	102	170	13.5	3.5	7.500	2.9
8.25 X 20	ELR 422	116	170	11.5	3.0	7.100	2.4
8.25 X 16	ELR 422 A	102	170	11.5	3.0	6.200	2.4
7.50 X 16	ELR 413	99	160	13.8	3.5	7.000	2.8
7.50 X 16	ELR 421 A	99	160	11.5	3.0	5.600	2.2
7.50 X 20	ELR 421	112	160	11.5	3.0	6.300	2.2
7.50 X 16	ELR 96 C	112	160	11.5	3.0	6.200	2.2
7.50 X 16	ELR 96 B	98	160	11.5	3.0	5.400	2.2
7.50 X 16	ELR 96	99	160	11.5	3.0	5.400	2.2
7.50 X 16	ELR 96 A	96	160	11.5	3.0	5.200	2.2
7.00 X 15	ELR 102 B	98	150	11.0	3.5	5.400	2.2
7.00 X 15	ELR 102 A	96	150	11.0	3.5	5.250	2.2
7.50 X 16	ELR 102	99	150	11.0	3.5	5.400	2.2
7.50 X 16	ELR 102 C	142	150	11.0	3.5	7.600	2.1
7.00 X 15	ELR 38 B	99	149	11.0	3.5	5.500	2.2
7.00 X 15	ELR 38	93	149	11.0	3.5	5.000	2.2
7.00 X 15	ELR 339	93	140	11.5	2.5	4.800	2.0
7.00 X 15	ELR 339 A	142	140	11.5	2.5	7.400	2.0
7.00 X 20	ELR 339 B	129	140	11.5	2.5	6.600	2.0
6.00 X 16	EJR 122	90	132	9.0	3.5	3.600	1.6
6.00 X 16	EJR 122 A	76	132	9.0	3.5	3.040	1.6
155 D 12	TR 124	66	124	10.0	3.0	2.800	1.7

Transport Rib



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETR 09	127	195	10.2	5.0	9.700	3.0
10.00 X 20	ETR 09 A	124	195	10.2	5.0	9.400	3.0


Viking Super



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.50 X 20	ELR 37 A	116	158	10.5	4.0	6.500	2.2
7.50 X 16	ELR 37	99	158	10.5	4.0	5.500	2.2
7.50 X 16	ELR 37 B	96	158	10.5	4.0	5.300	2.2
6.00 X 16	EJR 45	90	120	11.0	3.0	3.600	1.6
6.00 X 16	EJR 45 A	66	120	11.0	3.0	2.650	1.6


Radial

Cool Rib




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	ETR 439	129	240	12.5	3.5	12.300	3.8
11.00 R 20	ETR 438	129	220	12.5	3.7	11.300	3.4
10.00 R 20	ETR 435	129	210	12.5	3.5	10.800	3.3

E10




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
315/80 R 22.5	E 10 280 H	130	280	20.0	4.0	20.600	6.2
315/80 R 22.5	E 10 270 HW H	130	270	20.0	4.0	19.900	6.0
295/80 R 22.5	E 10 260 HW H	130	260	20.0	3.5	18.800	5.7
12.00 R 24	E 10 260 HW A	147	260	20.0	3.5	21.300	5.7
315/80 R 22.5	E 10 260 HW H	130	260	20.0	3.5	18.800	5.7
11.00 R 20 / 295 80 R 22.5	E 10 240	131	240	21.0	3.5	18.700	5.6
11.00 R 20 / 295 80 R 22.5	E 10 240A	127	240	21.0	3.5	18.000	5.6

E12




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	E 12 250 HW	134	250	15	4.0	15.500	4.6
295 80 R 22.5	E 12 240 HW	129	240	15	3.8	14.700	4.5
295 80 R 22.5	E 12 230 HW	131	230	14.9	3.5	13.200	4.0
10.00 R 20	E 12 220 HW	131	220	14.9	3.5	12.700	3.8




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
9.00 R 20	E 12 200	124	200	12	3.0	8.700	2.8
9.00 R 20	E 12 200 A	116	200	12	3.0	8.100	2.8
9.00 R 20	E 12 200 B	102	200	12	3.0	7.100	2.8
235 75 R 17.5	E 12 200 C	98	200	12	3.0	6.900	2.8

E15




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
315/80 R 22.5	E 15 280 H	130	280	15.0	3.5	16.300	4.9
315/80 R 22.5	E 15 270	130	270	15.0	3.3	15.500	4.7
12.00 R 24	E 15 270 A	147	270	15.0	3.3	17.500	4.7
315/80 R 22.5	E 15 270 H	130	270	15.0	3.3	15.500	4.7
295/80 R 22.5	E 15 260	130	260	15.0	3.3	15.000	4.5
12.00 R 24	E 15 260 A	147	260	15.0	3.3	16.800	4.5
295/80 R 22.5	E 15 250 H	130	250	15.5	3.3	14.400	4.4
12.00 R 24	E 15 250 A	147	250	15.5	3.3	16.400	4.4
11.00 R 20	E 15 240	131	240	15.0	3.5	13.800	4.1
11.00 R 20	E 15 240 A	147	240	15.0	3.5	15.500	4.1

E159




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
295 80R 22.5	ETR 299	147	240	14.5	3.5	16.300	4.4
11.00 R 20	ETR 298	147	230	14.5	4.0	15.900	4.3
11.00 R 20	ETR 347	147	230	14.5	3.5	14.400	3.9
10.00 R 20	ETR 336 A	129	220	14.0	3.0	11.500	3.5
7.00 R 15	E 159 150	92	150	10.2	3.0	4.300	1.8




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	E 25 230	128	230	13.0	3.5	12.700	3.9
10.00 R 20	E 25 215	128	215	13.0	3.5	11.500	3.5

E31




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	E 31 245	132	245	20.0	3.5	18.000	5.4

E5




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 R 20/ 11.00 R 20	ETR 234	147	210	13.5	3.5	12.500	3.3

Eastern EDH




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 R 20/ 11.00 R 20	ETR 215	129	220	12.5	3.8	11.500	3.5
10.00 R 20	ETR 216	128	215	12.5	3.5	11.000	3.4
10.00 R 20	ETR 217	128	210	12.7	3.3	10.600	3.3

Eastern King




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	ETR 170	129	220	10.5	3.5	10.400	3.2
11.00 R 20	ETR 378	130	230	10.5	3.5	11.100	3.4

Eastern Max




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 R 24	ETR 249	147	300	13.6	4.0	18.800	5.0
12.00 R 20	ETR 249 A	136	300	13.6	4.0	17.500	5.1
12.00 R 24	ETR 248	147	290	13.2	4.0	18.000	4.8
12.00 R 20	ETR 248 A	136	290	13.2	4.0	16.700	4.8
12.00 R 24	ETR 246	147	250	14.0	4.0	15.300	4.1
12.00 R 20	ETR 246 A	136	250	14.0	4.0	14.100	4.1
10.00 R 20/11.00 R 20	ETR 243	147	240	14.0	3.5	14.700	3.9
10.00 R 20/11.00 R 20	ETR 243 A	136	240	14.0	3.5	13.600	3.9
10.00 R 20/11.00 R 20	ETR 245	147	235	13.5	3.0	13.500	3.6
10.00 R 20	ETR 193	147	230	13.5	3.5	13.300	3.6
10.00 R 20	ETR 193 A	132.5	230	13.5	3.5	12.200	3.6
10.00 R 20/11.00 R 20	ETR 244	146	225	13.0	3.0	12.800	3.5
10.00 R 20/11.00 R 20	ETR 242	147	220	13.8	3.5	13.600	3.6
10.00 R 20/11.00 R 20	ETR 242 A	136	220	13.8	3.5	12.600	3.6
10.00 R 20/11.00 R 20	ETR 242 SL	129	220	13.8	3.5	11.900	3.6
11.00 R 20	MAX 230	131	230	14.0	3.5	12.500	3.8
11.00 R 20	MAX 220	131	220	14.0	3.5	12.200	3.7
10.00 R 20	ETR 241	147	215	13.5	3.8	13.400	3.6
10.00 R 20	ETR 241 A	136	215	13.5	3.8	12.400	3.6
10.00 R 20	ETR 241 SL	130	215	13.5	3.8	11.800	3.6
10.00 R 20	ETR 113	127	210	14.0	4.0	11.400	3.5
11.00 R 20	ETR 113 A	131	210	14.0	4.0	11.800	3.5
10.00 R 20	ETR 180	127	205	13.0	4.0	10.100	3.1
10.00 R 20	MAX 205	131	205	14.0	3.5	11.200	3.4

Eastern Max Ultima




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 R 20	ETR 222	130	230	11.0	4.0	11.000	3.3
10.00 R 20	ETR 222 A	133	230	11.0	4.0	11.300	3.3
11.00 R 20	ETR 222 B	137	230	11.0	4.0	11.600	3.3
12.00 R 24	ETR 222 C	147	230	11.0	4.0	12.500	3.3

Eastern Road King




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	ETR 411	132	240	13.0	3.5	13.000	3.9
295/80 R 22.5	ERK 240	129	230	11.7	3.5	13.000	4
295/80 R 22.5	ERK 240A	131	230	13.0	3.5	13.300	4
11.00 R 20	ETR 379	130	220	11.5	3.5	11.300	3.4
11.00 R 20	ETR 410	132	220	11.5	3.5	12.600	3.7
295/80 R 22.5	ERK 230	129	220	13.5	3.5	12.400	3.8
295/80 R 22.5	ERK 230A	131	210	14.0	3.3	12.700	3.8
11.00 R 20	ETR 349	129	210	12.0	3.0	10.500	3.2
11.00 R 20	ETR 349 A	132	210	13.5	3.5	10.800	3.2
10.00 R 20	ETR 397	129	180	13.0	3.0	12.100	3.7
295/80 R 22.5	ERK 220	129	180	13.0	3.0	11.800	3.6
295/80 R 22.5	ERK 220A	131	240	13.5	3.5	12.100	3.6
10.00 R20/ 11.00 R20	ERK 215	129	240	13.5	3.5	10.800	3.3
10.00 R 20	ETR 226	129	230	13.5	3.5	11.500	3.5
10.00 R 20	ETR 353	128	230	13.5	3.5	10.000	3.1
10.00 R 20	ETR 398	127	220	13.5	3.5	11.300	3.5
10.00 R 20	ERK 210	127	220	13.5	3.5	11.300	3.5
10.00 R 20	ERK 210A	129	215	12.3	3.3	11.500	3.5
8.25 R 20	ERK 180	118	210	13.5	3.5	8.300	2.8
8.25 R 16	ERK 180 A	104	210	13.5	3.5	7.300	2.8

EDR




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	ETR 445	130	260	20.0	3.0	19.300	5.8
11.00 R 20	ETR 444	130	250	20.0	3.0	18.100	5.5

EMD Plus




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	EMDPLUS 230	128	230	13.5	3.5	12.100	3.7
11.00 R 20	EMDPLUS 220	128	220	13.5	3.5	11.500	3.5

EMR




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20/ 11.00 R 22.5	EMR 240	129	240	12.8	3.0	12.1	3.7

ESDA




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
295/80 R 22.5	ESDA 260	131	260	18.0	2.8	17.300	5.2
12.00 R 22.5	ESDA 240	131	240	18.0	3.5	16.200	4.9
12.00 R 22.5	ESDA 240 B	129	240	18.0	3.5	16.200	5.0
12.00 R 22.5	ESDA 240 C	126	240	18.0	3.5	15.800	5.0

ETN




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
295/80 R22.5	ETN 230	130	230	14.0	3.0	11.700	3.5
11.00 R 20	ETN 220	128.5	220	14.5	3.0	11.600	3.6

EZAW




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
315/80 R 22.5	EZAW 320	132	320	14.0	3.7	18.800	5.6
315/80 R 22.5	EZAW 290	132	290	14.0	3.7	16.900	5.0
12.00 R 24	ETR 295	147	250	14.0	3.5	15.000	4.0
11.00 R 20	ETR 295A	136	250	14.0	3.5	13.900	4.0

Load Drive



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	LD 230 HW	132	230	14.8	3.5	13.500	4.0
295/80 R22S	LD 230 HW A	129	230	14.8	3.5	13.200	4.0
11.00 R 20	ETR 359	129	220	13.0	3.5	11.800	3.6
10.00 R 20	LD 220 HW	130	220	14.8	3.6	12.700	3.8
10.00 R 20	LD 220 HW A	126	220	14.8	3.6	12.300	3.8
11.00 R 20	ETR 440	130	220	15.0	3.3	12.500	3.8
10.00 R 20	ETR 440 A	128	220	15.0	3.3	12.300	3.8
11.00 R 20	ETR 360	129	215	12.7	3.5	11.200	3.4
11.00 R 20	LD 215	129	215	13.5	3.5	11.700	3.5
10.00 R 20	LD 210 HW	129	210	15.0	3.7	12.400	3.8
10.00 R 20	LD 210 HW A	126	210	15.0	3.7	12.000	3.8
8.25 R 20	LD 180	118	180	12.0	3.0	7.900	2.6
8.25 R 16	LD 180 A	107	180	12.0	3.0	7.200	2.6
8.25 R 20	LD 180 B	104	180	12.0	3.0	7.000	2.6

Max L




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 R 20	ETR 287	136	300	13.5	4.0	17.500	5.1
315/80 R 22.5	ETR 287 H	130	300	13.5	4.0	16.700	5.1
12.00 R 24	ETR 294	147	290	14.0	4.0	18.800	5.0
12.00 R 20	ETR 294 A	136	290	14.0	4.0	17.300	5.0
11.00 R 20	ETR 401	136	270	14.5	3.5	16.000	4.6
11.00 R 20	ETR 401 A	131	270	14.5	3.5	15.300	4.6
12.00 R 24	EXL 293	147	270	14.0	3.5	17.100	4.6
12.00 R 24	ETR 286	147	260	14.0	3.5	16.700	4.5
315/80 R 22.5	ETR 286 H	130	260	14.0	3.5	14.500	4.4
12.00 R 24	ETR 290	147	250	14.0	3.5	15.900	4.3
12.00 R 20	ETR 290 A	136	250	14.0	3.5	14.700	4.3
295/80 R 22.5	ETR 290 B	131	250	14.0	3.5	14.100	4.2
11.00 R 20	MAX L 250 A	133	250	15.0	3.5	14.700	4.4
295/80 R 22.5	MAX L 250 H	130	250	15.0	3.5	14.500	4.4
12.00 R 20	MAX L 250 B	135	250	15.0	3.5	14.900	4.4
315 80 R 22.5	MAX L 250 C	128	250	15.0	3.5	14.100	4.4
12.00 R 24	MAX L 250 D	147	250	15.0	3.5	16.200	4.4
12.00 R 24	ETR 285	147	240	13.5	3.5	14.700	3.9
12.00 R 24	ETR 289	147	240	14.5	3.5	15.500	4.2
10.00 R 20	ETR 289 A	132	240	14.5	3.5	14.000	4.2
12.00 R 24	ETR 335	147	240	14.5	3.5	14.600	3.9
295/80 R 22.5	ETR 335 H	130	240	14.5	3.5	13.200	4.0
12.00 R 24	ETR 257	147	235	16.0	4.0	16.600	4.4
12.00 R 24	ETR 284	147	235	13.5	3.5	13.500	3.6

Max L



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 R 24	ETR 276	147	230	14.2	3.0	14.500	3.9
12.00 R 24	ETR 283	147	230	13.5	3.5	13.300	3.6
10.00 R 20	ETR 283 A	129	230	13.5	3.5	11.700	3.6
11.00 R 20	ETR 399	147	230	14.5	3.5	13.900	3.7
12.00 R 24	ETR 292	147	225	13.5	3.5	13.800	3.7
12.00 R 24	ETR 282	147	220	13.5	3.5	13.300	3.6
11.00 R 20	MAX L 220	129	220	14.0	3.5	11.600	3.5
11.00 R 20	ETR 281 A	129	215	13.5	3.5	11.500	3.5
10.00 R 20	ETR 288 A	129	210	13.5	4.0	10.800	3.3
7.50 R 16	ETR 402	99	155	12.8	3.5	5.900	2.3

Radial



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
295/80 R 22.5	ETR 274	131.5	245	15.0	4.5	16.300	4.9
11.00 R 20	ETR 393	132	240	13.5	3.5	13.500	4.0
10.00 R 20/ 11.00 R 20	ETR 176	129	220	15.0	4.0	13.000	4.0
10.00 R 20	ETR 221	129	215	13.2	3.8	11.200	3.4
11.00 R 20	ETR 221 A	132	215	13.2	3.8	11.500	3.4
10.00 R 20	ETR 204	127	210	15.0	4.0	11.700	3.6
10.00 R 20	ETR 268	129	205	15.0	3.5	11.800	3.6
9.00 R 20	ETR 266	124.5	195	15.0	3.5	11.000	3.5


XMR



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 R 20	XMR 230	132	230	15.5	4.0	15.000	4.5
11 R 20/ 295 80 R 22.5	XMR 230 LW	128	230	14.5	3.8	13.300	4.1
11 R 20/ 295 80 R 22.5	XMR 230 LW A	134	230	14.5	3.8	13.900	4.1
11.00 R 20	XMR 220	133	220	14.0	3.0	12.600	3.7
11.00 R 20	XMR 220 A	128	220	14.0	3.0	12.100	3.7
10.00 R 20/11.00 R 20	XMR 220 LW	128	220	13.0	3.0	11.100	3.4

LCV, Car & Auto

Astro




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
F.78 X 15	ECTA 88	88	155	9.0	3.0	4.350	1.9

Auto Rikshaw




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
4.50 X 10	EAR 172	60	102	8.0	3.0	1.900	1.2
4.00 X 8	EAR 76	100	85	9.0	2.5	2.300	0.9

Brute




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.00 R 15	ELR 143	94	145	10.5	3.5	4.500	1.9
7.00 R 15	ELR 143A	88.5	145	10.5	3.5	4.200	1.9

Challenger




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.50 X 16	ELR 108	99	160	12.5	4.0	6.100	2.4

Cool Drive




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
4.50 X 10	EAR 111	120	100	7.3	2.4	3.100	1.0

E4




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
185 85 R16	ELR 181	90	145	10.0	3.0	3.900	1.7
7.00 R 15	ELR 181 A	93	145	10.0	3.0	4.000	1.7
165 65 R 13	ELR 181 C	74	145	10.0	3.0	3.200	1.7

Eagle




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
145 R 12	ECE 177	66	123	8.0	3.0	2.200	1.3
145 R 12	ECE 177A	82	123	8.0	3.0	2.700	1.3

Eastern Grip




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.00 X 15	ELR 175	94	145	10.0	3.0	4.300	1.8
7.00 X 15	ELR 175 A	142	145	10.0	3.0	6.500	1.8

Endura




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
5.90 R 15	ECAO 55	82	115	8.5	3.0	2.700	1.3
155 D 12	ECAO 55 A	66	115	8.5	3.0	2.150	1.3
4.50 X 10	EM 102	60	102	12.0	2.5	2.100	1.4
4.50 X 10	EAR 110	120	95	8.5	2.0	3.000	1.0
4.00 X 8	EM 85	50	85	9.0	2.5	1.200	0.9

ETX




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
235 R 16	ETX 185	90	185	11.5	3.5	5.500	2.4

Glider



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
235 70 R 16	ECTR 224	93	182	9.0	2.5	4.400	1.9
195/ 215 R 15	ECTR 50	85	170	9.0	2.5	3.900	1.8
195/ 215 R 15	ECTR 50 A	86.5	170	9.0	2.5	3.950	1.8
145 R 12	ECMER 52	67	127	9.0	3.5	2.400	1.4

Highway




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.00 X 15	SEVERINO 148	129	148	11.0	3.2	7.000	2.1
6.00 X 16	SEVERINO 138	129	138	11.0	3.2	6.500	2.0

New Tractor Front




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
6.00 X 16	ETFO 103	90	132	16.0	4.0	3.900	1.7
6.00 X 16	ETFO 103 A	87	132	16.0	4.0	3.800	1.7
6.00 X 16	ETFO 179	90	128	13.0	4.0	4.000	1.7

Qualis



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
195/ 215 R 15	EQR 79	87	173	11.5	3.5	5.000	2.3

Rover




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
185 85 R16	JR 145	90	145	14.5	3.5	6.000	2.6
6.00 X 16	EJL 48	90	130	10.5	4.0	3.900	1.7

Tractor Front




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.50 X 16	ETFO 165	99	160	16.0	3.5	6.100	2.4

Tripper



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.00 X 15	EJMR 92	93	140	10.0	3.5	4.100	1.7
6.00 X 16	EJMR 92 A	90	140	10.0	3.5	3.950	1.7
6.00 X 16	EJMR 92 B	82	140	10.0	3.5	3.600	1.7
155 D 12	ETR 355	67	124	10.0	2.5	2.700	1.6

Zigma



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
7.50 R 16	ESR 160	99	158	8.5	3.5	4.400	1.7
F.78 X 15 / 215 R 16	ESR 160 A	87	158	8.5	3.5	3.900	1.7


Mines/ OTR

Eastern Mines




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	ETL 330	147	240	15.0	3.5	16.000	4.3
12.00 X 24	ETL 331	147	230	15.0	3.5	15.100	4.0
10.00 X 20	ETL 187	127	205	15.0	3.3	10.800	3.3

ECM




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 426	127	210	14.6	3.5	11.700	3.6

EPZ



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	EPZ 270	145	270	32.0	4.5	30.700	8.3
12.00 X 24	EPZ 270 A	136	270	32.0	4.5	28.800	8.3
11.00 X 20	EPZ 240	132	240	20.0	4.0	17.900	5.3
11.00 X 24	EPZ 240 A	147	240	20.0	4.0	19.900	5.3
11.00 X 20	EPZ 240 B	144	240	20.0	4.0	19.500	5.3
11.00 X 20	EPZ 240 C	127	240	20.0	4.0	17.200	5.3
12.00 X 20	EPZ 240 LW	132	240	19.0	3.2	16.100	4.8




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	EPZ 240 LW B	145	240	19.0	3.2	17.700	4.8
12.00 X 20	EPZ 240 LW C	127	240	19.0	3.2	15.500	4.8
12.00 X 24	EPZ 240 LW D	140.5	240	19.0	3.2	17.100	4.8
10.00 X 20	EPZ 210	129	210	15.5	3.0	11.900	3.6

ERM




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	ERM 240	147	240	20.0	3.5	18.600	5.0
12.00 x 20 /11.00 x 20	ERM 240A	134	240	20.0	3.5	17.000	5.0
12.00 X 24	ERM 230	148	230	18.5	3.0	16.400	4.4
12.00 x 20	ERM 230 A	134	230	18.5	3.0	14.700	4.3
10.00 X 20	ERM 215	129	215	17.0	3.3	13.300	4.1
11.00 X 20	ERM 215 A	132	215	17.0	3.3	13.600	4.1

JCB



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
14.00 X 25	ETL 409	167	308	26.0	7.0	39.300	9.3
14.00 X 25	ETL 409 A	160	308	26.0	7.0	37.700	9.3
14.00 X 25	ETL 409 B	130	308	26.0	7.0	30.600	9.3

Jet Master




Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
10.00 X 20	ETL 388	128	205	13.8	4.0	11.400	3.5

Mines Special



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
11.00 X 20	MS 215	130	215	14.0	3.3	11.400	3.5
10.00 X 20	MS 210	129	210	19.0	4.0	15.400	4.7
9.00 X 20	ETL 228	124	190	14.5	3.5	10.600	3.4
8.25 X 20	MS 175	118	175	14.5	3.2	8.800	2.9
8.25 X 16	MS 175 A	104	175	14.5	3.2	7.700	2.9
7.50 X 16	MS 160	99	160	14.5	3.3	6.800	2.7

Mines Ultra Mile



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	MUM 240	145	240	20.7	4.5	21.100	5.7

Titan



Tyre Size	Pattern Code	Length (inch)	Base Width (mm)	Tread Depth (mm)	Base Thickness (mm)	Weight (Kgs/belt)	Weight (Kgs/m)
12.00 X 24	TN 240 HND	149	240	24.0	5.5	25.100	6.6
12.00 X 24	TN 240 HW	149	240	18.0	4.0	19.000	5.0
12.00 X 20	TN 240 HW A	128	240	18.0	4.0	16.300	5.0
12.00 X 20	TN 240 HW B	144	240	18.0	4.0	18.300	5.0
11.00 X 20	ETL 340 B	131	240	15.3	4.0	14.000	4.2
12.00 X 24	ETL 340	147	240	15.3	4.0	15.700	4.2
12.00 X 20	ETL 340 A	135	240	15.3	4.0	14.400	4.2
11.00 X 20	TN 220	131	220	16.0	3.5	13.700	4.1
10.00 X 20	TN 210	129	210	14.0	4.0	10.800	3.3
10.00 X 20	ETL 132	129	210	12.5	3.5	11.800	3.6
10.00 X 20	TN 205	127	205	15.0	3.5	11.800	3.7


Weight: Truck ± 300gm, LCV ± 200gm Car ± 100gm

EASTERN®
TREADS



RETREADING SUSTAINABILITY

Market Presence



- Bhutan
- Bolivia
- Honduras
- India
- Kenya
- Nepal
- Tanzania
- UAE
- Uganda

Market Presence



- Andhra Pradesh
- Assam
- Bihar
- Chhattisgarh
- Delhi
- Gujarat
- Haryana
- Himachal Pradesh
- Jharkhand
- Karnataka
- Kerala
- Madhya Pradesh
- Maharashtra
- Odisha
- Punjab
- Rajasthan
- Tamil Nadu
- Telangana
- Uttarakhand
- Uttar Pradesh
- West Bengal



Meeran

Eastea

SUNIDRA
The joy of good sleep

NANMA

Amethyst
The spirit of being

SCORE LINE
Fun. Fitness. Health.

ZEASHKART

jack fruit 365

Testimonials

"Eastern Treads Ltd.'s Infinity grade retread belts have impressed me with their exceptional mileage, providing customers with performance equivalent to that of new tires. It's remarkable how Eastern Treads ensures their retreads match the quality of new tires, earning my trust as a retreader."



Mr. Anand Nelliat
Maxworth Retreads and Goodworth Retreads,
Karnataka, India.

"Eastern Treads Limited's retread belts consistently deliver outstanding mileage, exceeding both mine and my customers' expectations. Their durability and longevity make Eastern Treads the go-to choice for retreaders seeking reliable performance."



Mr. P.V. Venkatesh
Vijay Retreads Kerala and Super Retreads,
Tuticorin, Tamilnadu, India.

"As a retreader specializing in mines patterns, I have consistently relied on Eastern Treads Ltd.'s retread treads for their unparalleled performance. Their mines patterns not only endure harsh conditions but also provide remarkable anti chipping characteristics, making Eastern Treads the top choice for mine operators seeking durability and reliability. We usually using Eastern EPZ designs."



Mr. Vinod Menon
CIO Pvt Ltd, Jamshedpur, Jharkhand, India.

"My vehicle has successfully covered a distance of 90,000 kilometers using the Eastern LD 215 pattern in the Southern part of India."



Vijaya Transports
Coimbatore, Tamilnadu, Kerala, India.



Mr. Navas Meeran

Chairman, Eastern Treads Ltd.

Since we started our journey in 1968, we have demonstrated the power of entrepreneurship and our ability to build high-quality enterprises and more lately, collaborate with entrepreneurs and managers to create unique business models in a diverse range of business areas. Each of these businesses represents excellence in their respective fields.

From a small store called "Eastern Trading Company" located in Kochi, Group Meeran has come a long way with its presence spread across different product verticals and across various countries. Since its inception in 1968 to this day, the Group has always innovated for its customers often anticipating the development of disruptive technologies and innovative ways to meet consumer needs. From tea to technology, treads to mattresses and to affordable homes, Group Meeran is home to some of the finest brands. Our journey of building the spices and culinary range at Eastern Condiments has given us the understanding of creating appealing brands to consumers and innovative ways to connect with them. This is the experience that we share with many start-ups as they develop and grow within our fold.

Branch Locations

State	Branch Location	Branch Address	Contact Number
Kerala	Vazhakulam	Building No: VII/173 Avoly Panchayth, Vazhakulam, Muvattupuzha, Ernakulam-686670	9447218336
Tamilnadu	Coimbatore	Door No: 58, 58/1, Patel Road , Ramnagar, Coimbatore-641009	9363108658
	Madurai	Door No: 41, Visuvasapuri 1st Street, Gnanaolipuram, Madurai-625016	9159906544
Karnataka	Banglore	House No: 3/1, Roshan Bagh Road, Near Minerva Circle, V V Puram, Bengaluru-560004	9341060794
Maharashtra	Mumbai	Plot No.856, Shop No.1,Steel Market,KWC,Raigarh(Raigad), New Mumbai,Panvel,Maharashtra -410218	9922113976
Telangana	Hyderabad	Plot No.106, Block No-31, 4th Left, Autonagar, Hyderabad-500070	7034022571
Odisha	Cuttack	House No: 940/C, Near Saraswati Mandap, Plot No: 2335/4061/5323, Khata No: 772/482, Jagatpur, Cuttack-754021	7591933037
West Bengal	Kolkatta	Ground Floor, C1-43/114/1,2, Santhoshpur Government Colony,	7594022272
	Siliguri	Block-A, Ward No: 16, Maheshtala, Kolkatta-700141 Patharghata Road, Gaucharan Matigara, Siliguri, Darjeelin-734010	6295349234
Jharkhand	Jamshedpur	Old Purulia Road,Near Azad Nagar Thana, Mango Town, Jamshedpur,East Singhbhum-832110	7294156662
Delhi	Delhi	Ground Floor, AW-473, Sanjay Gandhi Transport Nagar, Delhi-110042	9873817106

Meeran

EASTERN TREADS®

3A, 3rd Floor Eastern Corporate Office,
34/137E, N.H. By Pass, Edappally P.O, Kochi, Kerala 682024
CIN No: L25119KL1993PLC007213

info@easterntreads.com
www.easterntreads.com
+91-484-7161100/ 422/ 421/ 445
+91 8589994848 I +91 7034022571